

FLEXI SPRAY



- 1 Solvent and abrasion resistant PE coating.
- 2 Intermediate, extra-flexible crystal PE layer
- 3 Textile reinforcement
- 4 Black antistatic LDPE inner wall

ANTISTATIC EXTRA-SOFT -PVC HOSE

Design using four layers of extra-flexible PE with a high tenacity polyester fibre reinforcement.

APPLICATIONS

Antistatic pipe specially designed for paint spraying.

SECTORS OF ACTIVITY

Garages, automotive industry, plastics industry, assembly plants.

Resistivity <math>< 10^6 \Omega/m</math>
complies with NF EN ISO 8031

MARKING

= FLEXI SPRAY - TUYAU DISSIPATEUR PEINTURE_PAINT DISSIPATER HOSE—Ø INT_Ø Connectors ID—PMS/MWP
20BAR/290PSI @20°C/68°F - «Year of manufacturing» - MADE IN FRANCE = [Batch number]

ADVANTAGES

FLEXI SPRAY is a top end paint spraying hose. Its flexibility and light weight give more freedom of movement during use and its balanced reinforcement provides excellent stability.

FLEXI SPRAY's capacity to evacuate electrostatic charges is a safety guarantee when used in flammable environments (paint booths, presence of hydrocarbons, etc.)

Its high strength is tested on 10,000 pressure cycles to guarantee a long service life.

CONNECTORS

To protect electric continuity, provide for metal fittings: NPS, express, hose or grooved quick couplings, metal clamps or ear clamps. Quick fittings Crimping is possible with non-damaging fittings. Before assembly, make sure the tip does not damage the inner pipe (especially the case of improperly deburred and therefore cutting fittings).

CHEMICAL RESISTANCE

See the chemical resistance table column E.

mm +/- mm 3,2 +/- mm 7,3 +/- mm 10 +/- mm 14,8	mm	mm	mm	mm	g/m	bar	bar	mm	Orange				
									25	152,5	175	250	450
2	31	60	20	25	126018	126019				126020			
1,8	44	60	20	50	126118	126119		126120					
2,65	92	60	20	80	126152	126153	126154						



FLEXI SPRAY'S ASSEMBLIES



Fittings 1/4"			
⊗ (mm)	L (m)	Ref	Mini ord (PC/cart)
3,2	7,5	126021	15
	10	126022	10
6,5	5	126121	8
	7,5	126122	8
	10	126123	7

Fittings 3/8"			
⊗ (mm)	L (m)	Ref	Mini ord (PC/cart)
3,2	7,5	126023	15
	10	126024	10
6,5	5	126124	8
	7,5	126125	8
	10	126126	7
9,5	5	126155	8
	7,5	126156	8
	10	126157	6

AIR JET'S ASSEMBLIES



Fittings 1/4"			
⊗ (mm)	L (m)	Ref	Mini ord (PC/cart)
6,5	5	125275	8
	7,5	125276	8
	10	125277	7
	15	125278	4
8	7,5	125288	8
	10	125289	6
	15	125290	6
9,5	5	125491	8
	7,5	125492	8
	15	125493	4